

# **Curriculum Vitae**

## **Michael Mayhew, DDS, MS**

### **Boone, NC**

#### **Education:**

**Central Davidson High School, 1971**  
**Lexington, North Carolina**

**Catawba College, 1975**  
**Salisbury, North Carolina**  
**B.A. Degree, Cum Laude**

**University of North Carolina at Chapel Hill**  
**School of Dentistry**  
**Chapel Hill, North Carolina**  
**Doctor of Dental Surgery, 1979**  
**Master of Science, Pediatric Dentistry, 1981**  
**Master of Science, Orthodontics, 1986**

#### **Board Certification:**

**American Board of Pediatric Dentistry, 1984**  
**American Board of Orthodontics, 1993**

#### **Professional Positions:**

**Private Practice, Pediatric Dentistry since 1981**  
**Boone, North Carolina**

**Private Practice, Orthodontics since 1986**  
**Boone, North Carolina**

**Assistant Clinical Professor since 1982**  
**University of North Carolina at Chapel Hill**  
**UNC School of Dentistry**  
**Chapel Hill, North Carolina**

**Ormco Insiders Advisory Board**  
**National and International Lecturer**  
**Damon System Certified Educator**  
**Ormco Corporation**  
**Orange, California**

**OrthoCad Advisory Board**  
**National Lecturer, Cadent, Inc.**  
**Carlstadt, New Jersey**

**Sports Medicine Staff**

**Appalachian State University Athletics**

**Leadership:**

**Past President, Tarheel Dental Study Club**

**Past President, North Carolina Academy of Pediatric Dentists**

**Past President, North Carolina Orthodontic Alumni Association**

**Leader, North Carolina/South Carolina Damon Study Club**

**Campaign Chairman, Watauga County Education Foundation**

**Campaign Chairman, North Carolina Alumni Association, Dr. William Proffit Education Endowment Fund**

**Publications:**

**Tissue response to intralingival appliances in monkeys. Pediatric Dentistry. Vol. 6, Number 3. September 1984. Mayhew, G.Dilley, D.Dilley, Jacoway, and Johnson.**

**Plaque removal with a new powered instrument for orthodontic patients in fixed appliances. Compendium of Continuing Education in Dentistry. 1985;6, 142-46. VanVenrooy, Phillips, Christensen, Mayhew.**

**Survey of sterilization and disinfection properties. Journal of Clinical Orthodontics. 1986;20:759-65. Buckthal, Mayhew, Kusy, Crawford.**

**Effects of sterilization on the mechanical properties and the surface topography of nickel-titanium arch wires. American Journal of Orthodontics and Dentofacial Orthopedics. 1988;93:232-6. Mayhew. Kusy.**

**Reliable maxillary molar distal movement with the**

**Pendulum appliance. Journal of the Southeastern Society of Pediatric Dentistry. Vol. 5, No.1, 1999. Mayhew.**

**Computer-aided bracket placement for indirect bonding. Journal of Clinical Orthodontics. 2005;Vol 39, 11: 653-660. Mayhew**